

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : Fireworks

FORMULA : $KClO_4$, S, $Ba(NO_3)_2$, Al-Mg, $(C_2H_3Cl)_n$

SYNONYMS : Oxidiser agents typically used are potassium perchlorate and copper oxide.
Fuels typically used may be Sulfur and Mg/Al alloy. Polyvinyl chlorate is usually used as kind of bond.

MSDS NUMBER : NA **EPA Reg. No.** : -- **DATE:** NA

BEIHAI XIANGTONG IMPORT & EXPORT TRADE CO.,LTD

FOR MEDICAL EMERGENCY AND CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL:

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>COMPONENT</u>	<u>CAS NO.</u>	<u>ACTIVE CONTENT</u>
CHARCOAL	64365-11-3	50-75%
POTASSIUM NTTRATE	7757-79-1	10-25%
SULPHUR	7704-34-9	10-25%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

APPERANCE AND ODOUR : All chemical composition is contained in a cardboard casing

WARNING STATEMENTS : No Smoking, Keep away from fire! Handle with care. Do not drop or throw. Place upright. If exposed to fire, articles will explode.

POTENTIAL HEALTH EFFECTS

LIKELY ROUTES OF EXPOSURE : NA

EYE CONTACT : NA

SKIN CONTACT : NA

INGESTION : NA

INHALATION : NA

4. FIRST AID MEASURES AND ANTIDOTE

If swallowed, wash out mouth with water provided person is conscious. Call a physician. If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. In case of contact immediately wash skin with soap and water.

ANTIDOTE: NA

5. FIRE FIGHTING MEASURES

FLASH POINT	: 100C
AUTOIGNITION TEMPERATURE	: NA
HAZARDOUS PRODUCTS OF COMBUSTION	: NA
EXTINGUISHING MEDIA	: DO NOT attempt to fight fire in the vicinity of other fireworks.
UNUSUAL FIRE AND EXPLOSION HAZARDS	: If exposed to fire, articles will explode and propel burning projectiles. There is a risk of explosion if large quantities of fireworks are involved in a fire.

FIRE FIGHTING EQUIPMENT: In the case of a small amount on fire apply as much water as possible from as much distance as practical. Larger fires involving more than one carton require large volumes of water and extra care from fumes and debris. Evacuate fire area IMMEDIATELY and seek shelter. Follow emergency evacuation plan.

6. ACCIDENTAL RELEASE MEASURE

NA

7. HANDLING AND STORAGE

No Smoking, Keep away from fire! Handle with care. Do not drop or throw. Place upright. If exposed to fire, articles will explode.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EYE PROTECTION	: NA
SKIN PROTECTION	: NA
RESPIRATORY PROTECTION	: None required when handling finished fireworks
VENTILATION	: NA

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: All chemical composition is contained in a cardboard casing
Odour	: All chemical composition is contained in a cardboard casing
Density	: NA
Vapour Pressure	: NA
Vapour Density (Air=1)	: NA
Melting Point	: NA
Solubility in Water	: Slight

10. STABILITY AND REACTIVITY

STABILITY : Stable

MATERIALS TO AVOID : Do not store with any other Dangerous Goods except articles (not substances) of class 1, Compatibility Groups C,D,E,G and S. DO NOT allow fireworks to get soaking wet.

HAZARDOUS DECOMPOSITION PRODUCTS : When ignited the following major decomposition products may form: carbon dioxide, carbon monoxide, oxides of nitrogen, oxides of sulfur, heavy metal compounds and other toxic substances. Avoid breathing smoke from fireworks.

HAZARDOUS POLYMERIZATION : Will not Occur

11. TOXICOLOGICAL INFORMATION

11.1. Acute oral toxicity

NA

11.2. Acute dermal toxicity

NA

11.3. Chronic Toxicity

NA

11.4 Inhalation toxicity

NA

11.5 Eye irritation

NA

11.6 Toxicity to birds

NA

11.7 Fish toxicity

NA

11.8 Toxicity to bees

NA

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS: NA

13. DISPOSAL CONSIDERTIONS

Cleanup and disposal in accordance to local environmental regulations

Metal Drums: NA

Plastic / HDPE Bags: NA

14. TRANSPORT INFORMATION

DOT (Department Of Transportation)

DOT Proper Shipping Name : Fireworks

DOT Hazard Class / I.D. No. : 1.4G

DOT Label : Class 1

HAZCHEM NO. :

UN NO. : 0336

TREM CARD. : NA

15. REGULATORY INFORMATION**INGREDIENT:** Complies with EN Standard and BS7114.**PRODUCT CLASSIFICATION:**Acute = No Chronic =No Fire = No Reactivity = No
Pressure Generating =No**NFPA CODES :****HEALTH : NA****FLAMMABILITY : NA****REACTIVITY : NA****16. OTHER INFORMATION****MANUFACTURER / SUPPLIERS DATA:**

- **NAME OF FIRM** : BEIHAI XIANGTONG IMPORT & EXPORT
TRADE CO.,LTD
- **MAILING ADDRESS** : Suite B,2/F,Science and Technology Building,Beihai
Avenue, Beihai city,Guangxi
- **TELEPHONE** : 0086-779-3206122
- **FAX NO.** : 0086-779-3206322
- **E-mail** : xiongtongfirework@163.com

- **CONTACT PERSON IN EMERGENCY** : WU DONG
- **LOCAL BODIES INVOLVED** :
- **STANDARD PACKING** : II

DISCLAIMER:**DATE ISSUE:** **Apr.22,2022**

Information contained in this M.S.D.S. is believed to be reliable but no representation, guarantee or warranties of any kind are made as to its accuracy, suitability for a particular application or results to be obtained for them. It is up to the user to ensure that the information contained in the **Material Safety Data Sheet** is relevant to the product manufactured/handled or used by him as the case may be